2022 IEEE 38th International Conference on Data Engineering (ICDE) ICDE 2022

Table of Contents

Organizing Committee xlvii Program Committee xlviii	
Research Track	
Online Cardinality Estimation by Self-Morphing Bitmaps .1	
BinarizedAttack: Structural Poisoning Attacks to Graph-Based Anomaly Detection .1.4	
MDZ: An Efficient Error-Bounded Lossy Compressor for Molecular Dynamics .27	
Streaming Algorithms for Diversity Maximization with Fairness Constraints .41. Yanhao Wang (East China Normal University, China), Francesco Fabbri (Universitat Pompeu Fabra, Spain; Eurecat – Centre Tecnològic de Catalunya, Spain), and Michael Mathioudakis (University of Helsinki, Finland)	
SaPHyRa: A Learning Theory Approach to Ranking Nodes in Large Networks .54	

Discovering Representative Attribute-Stars via Minimum Description Length .68
Distributed Influence Maximization for Large-Scale Online Social Networks .81
PeriodicSketch: Finding Periodic Items in Data Streams .96
Accurate and Scalable Graph Neural Networks for Billion-Scale Graphs .110
PAW: Data Partitioning Meets Workload Variance .123
Enhancing Federated Learning with In-Cloud Unlabeled Data 136 Lun Wang (University of Science and Technology of China), Yang Xu (University of Science and Technology of China), Hongli Xu (University of Science and Technology of China), Jianchun Liu (University of Science and Technology of China), Zhiyuan Wang (University of Science and Technology of China), and Liusheng Huang (University of Science and Technology of China)
GECCO: Constraint-Driven Abstraction of Low-Level Event Logs .150
The Stair Sketch: Bringing More Clarity to Memorize Recent Events .164

Effective Few-Shot Named Entity Linking by Meta-Learning .178	
MPC: Minimum Property-Cut RDF Graph Partitioning .192	
Time-Sensitive POI Recommendation by Tensor Completion with Side Information .205 Bo Hui (Auburn University), Da Yan (University of Alabama at Birmingham), Haiquan Chen (California State University, Sacramento), and Wei-Shinn Ku (Auburn University)	
Nucleus Decomposition in Probabilistic Graphs: Hardness and Algorithms 218	
Highly Efficient String Similarity Search and Join over Compressed Indexes 232	•••••
Reinforcement Learning Based Query Vertex Ordering Model for Subgraph Matching .245 Hanchen Wang (Zhejiang Gongshang University, China; University of New South Wales, Australia), Ying Zhang (Zhejiang Gongshang University, China; University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), Wei Wang (The Hong Kong University of Science and Technology (Guangzhou)), Wenjie Zhang (University of New South Wales, Australia), and Xuemin Lin (University of New South Wales, Australia)	
Fairness-Aware Maximal Clique Enumeration 259	
Evaluating Complex Queries on Streaming Graphs .27.2 Anil Pacaci (University of Waterloo, Canada), Angela Bonifati (Lyon 1 University, France), and M. Tamer Özsu (University of Waterloo, Canada)	•••••
Dynamic Functional Dependency Discovery with Dynamic Hitting Set Enumeration .286 Renjie Xiao (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Yong'an Yuan (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Zijing Tan (Fudan University, China; Shanghai Key Laboratory of Data Science, China), Shuai Ma (SKLSDE Lab, Beihang University, China), and Wei Wang (Fudan University, China; Shanghai Key Laboratory of Data Science, China)	

Attentive Knowledge-Awa Personalized Recommenda	re Graph Convolutional Networks with Collaborative Guidance : tion 299	for
Yang (Microsoft Research Asia, China), Jing Bai (M	e University of Hong Kong, Hong Kong), Yaming Asia, China), Yujing Wang (Microsoft Research icrosoft Research Asia, China), Xiangchen niversity, USA), and Irwin King (The Chinese , Hong Kong)	
Huaijie Zhu (Sun Yat-sen University, China), Jian Y Mengxiang Wang (North Kong Baptist University)	oup Monitoring over Moving Users .312 1 University, China), Wei Liu (Sun Yat-sen (in (Sun Yat-sen University, China), eastern University, China), Jianliang Xu (Hong (Xin Huang (Hong Kong Baptist University), e Pennsylvania State University, USA)	
Xuefeng Chen (Chongqin Yifeng Zeng (Northumbr	ith Submodular Function Maximization .325	
Xiaoliang Xu (Hangzhou China), Jun Liu (Hangzho (Hangzhou Dianzi Unive Laboratory of Brain Mach	ria (K,P)-Core Based Embedding over Heterogeneous Graphs .338 Dianzi University, China; Zhejiang Laboratory, ou Dianzi University, China), Yuxiang Wang rsity, China; Zhejiang Laboratory, China; Key ine Collaborative Intelligence of Zhejiang angyu Ke (Nanyang Technological University,	8
Jin Xu (Tsinghua Univer Jianqiang Huang (Meitud	Solution to AutoGraph Challenge for KDD Cup 2020 .352sity, China), Mingjian Chen (Meituan, China), n, China), Xingyuan Tang (Meituan, China), Ke n Li (Tsinghua University, China), Jia Cheng n Lei (Meituan, China)	
Yishu Wang (Northeaster Institute of Technology, C Wales, Australia), Yi Zha	nce Maximization in Time-Dependent Road-Social Networks .367 on University, China), Ye Yuan (Beijing China), Wenjie Zhang (University of New South ang (Northeastern University, China), Xuemin outh Wales, Australia), and Guoren Wang (Northa)	7
Qi Zhang (Beijing Institu (Beijing Institute of Tech Institute of Technology, C	enness Search 380	
Qingpeng Cai (National ((National University of S	ual-Interactions for Healthcare Analytics 393 Iniversity of Singapore), Kaiping Zheng ingapore), Beng Chin Ooi (National University (ByteDance, Singapore), and Chang Yao	

Utility Analysis and Enhancement of LDP Mechanisms in High-Dimensional Space .407 Jiawei Duan (The Hong Kong Polytechnic University; Centre for Advances in Reliability and Safety), Qingqing Ye (The Hong Kong Polytechnic University), and Haibo Hu (The Hong Kong Polytechnic University)
Application-Oriented Workload Generation for Transactional Database Performance Evaluation.420 Luyi Qu (East China Normal University), Yuming Li (East China Normal University), Rong Zhang (East China Normal University), Ting Chen (East China Normal University), Ke Shu (PingCAP), Weining Qian (East China Normal University), and Aoying Zhou (East China Normal University)
PRISM: Prefix-Sum Based Range Queries Processing Method Under Local Differential Privacy .433 Yufei Wang (Beijing University of Posts and Telecommunications, China) and Xiang Cheng (Beijing University of Posts and Telecommunications, China)
Efficient Reinforcement of Bipartite Networks at Billion Scale .446. Yizhang He (University of New South Wales), Kai Wang (Shanghai Jiao Tong University, China), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), and Ying Zhang (University of Technology Sydney)
Human-Drone Collaborative Spatial Crowdsourcing by Memory-Augmented Distributed Multi-Agent Deep Reinforcement Learning .459
SLUGGER: Lossless Hierarchical Summarization of Massive Graphs .47.2
DynaHash: Efficient Data Rebalancing in Apache AsterixDB .485. Chen Luo (Snowflake Inc.) and Michael J. Carey (University of California, Irvine)
Efficient Personalized Maximum Biclique Search .498. Kai Wang (Shanghai Jiao Tong University, China), Wenjie Zhang (University of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), Lu Qin (University of Technology Sydney), and Alexander Zhou (Hong Kong University of Science and Technology)
Towards Real-Time Counting Shortest Cycles on Dynamic Graphs: A Hub Labeling Approach .512 Qingshuai Feng (University of New South Wales), You Peng (University of New South Wales), Wenjie Zhang (University of New South Wales), Ying Zhang (University of Technology Sydney), and Xuemin Lin (University of New South Wales)
O2-SiteRec: Store Site Recommendation Under the O2O Model via Multi-Graph Attention Networks .525 Hua Yan (Southeast University), Shuai Wang (Southeast University), Yu Yang (Lehigh University), Baoshen Guo (Southeast University), Tian He (Southeast University), and Desheng Zhang (Rutgers University)

Example-Based Spatial Search at Scale .539 Hanyuan Zhang (Fudan University; Shanghai Key Laboratory of Data Science; Shanghai Institute of Intelligent Electronics & Systems), Siqiang Luo (Nanyang Technological University), Jieming Shi (The Hong Kong Polytechnic University), Jing Nathan Yan (Cornell University), and Weiwei Sun (Fudan University; Shanghai Key Laboratory of Data Science; Shanghai Institute of Intelligent Electronics & Systems)
GPU-Accelerated Proximity Graph Approximate Nearest Neighbor Search and Construction .552 Yuanhang Yu (University of Technology Sydney, Australia), Dong Wen (The University of New South Wales, Australia; University of Technology Sydney, Australia), Ying Zhang (University of Technology Sydney, Australia), Lu Qin (University of Technology Sydney, Australia), Wenjie Zhang (The University of New South Wales, Australia), and Xuemin Lin (The University of New South Wales, Australia)
minIL: A Simple and Small Index for String Similarity Search with Edit Distance .565
TeGraph: A Novel General-Purpose Temporal Graph Computing Engine .57.8
Clustering-Based Partitioning for Large Web Graphs .593. Deyu Kong (University of Science and Technology of China, China), Xike Xie (University of Science and Technology of China, China), and Zhuoxu Zhang (University of Science and Technology of China, China)
Assessing the Existence of a Function in a Dataset with the g3 Indicator .607. Pierre Faure-Giovagnoli (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France), Jean-Marc Petit (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France), and Vasile-Marian Scuturici (Univ Lyon, INSA Lyon, CNRS, UCBL, LIRIS UMR 5205, France)
Provenance-Aware Discovery of Functional Dependencies on Integrated Views .621
Linking Entities Across Relations and Graphs .634 Wenfei Fan (University of Edinburgh, UK; Shenzhen Institute of Computing Sciences, China), Liang Geng (Alibaba Group, China), Ruochun Jin (University of Edinburgh, UK), Ping Lu (Shenzhen Institute of Computing Sciences, China), Resul Tugay (University of Edinburgh, UK), and Wenyuan Yu (Alibaba Group, China)

EC-Graph: A Distributed Graph Neural Network System with Error-Compensated Compression .648 Zhen Song (Northeastern University, China), Yu Gu (Northeastern University, China), Jianzhong Qi (The University of Melbourne, Australia), Zhigang Wang (Ocean University of China, China), and Ge Yu (Northeastern University, China)
Language-Aware Indexing for Conjunctive Path Queries .661. Yuya Sasaki (Osaka University, Japan), George Fletcher (Eindhoven University of Technology, Netherlands), and Makoto Onizuka (Osaka University, Japan)
COCA: Cost-Effective Collaborative Annotation System by Combining Experts and Amateurs .674. Jiayu Lei (University of Science and Technology of China, China), Zheng Zhang (University of Science and Technology of China, China), Lan Zhang (University of Science and Technology of China, China), and Xiang-Yang Li (University of Science and Technology of China, China)
Reachability Labeling for Distributed Graphs .686
DualGraph: Improving Semi-Supervised Graph Classification via Dual Contrastive Learning .699 Xiao Luo (Peking University), Wei Ju (Peking University), Meng Qu (Mila - Quebec AI Institute), Chong Chen (DAMO Academy, Alibaba Group), Minghua Deng (Peking University), Xian-Sheng Hua (DAMO Academy, Alibaba Group), and Ming Zhang (Peking University)
A Data-Driven Spatial-Temporal Graph Neural Network for Docked Bike Prediction .713
MISS: Multi-Interest Self-Supervised Learning Framework for Click-Through Rate Prediction .727. Wei Guo (Huawei Noah's Ark Lab, China), Can Zhang (National University of Singapore, Singapore), Zhicheng He (Huawei Noah's ark lab, China), Jiarui Qin (Shanghai Jiao Tong University, China), Huifeng Guo (Huawei Noah's ark lab, China), Bo Chen (Huawei Noah's ark lab, China), Ruiming Tang (Huawei Noah's ark lab, China), Xiuqiang He (Huawei Noah's ark lab, China), and Rui Zhang (www.ruizhang.info, China)
Grow-and-Clip: Informative-yet-Concise Evidence Distillation for Answer Explanation .741

Maximizing Range Sum in Trajectory Data .755
FedMP: Federated Learning Through Adaptive Model Pruning in Heterogeneous Edge Computing 767 Zhida Jiang (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Yang Xu (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Hongli Xu (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Zhiyuan Wang (University of Science and Technology of China; Suzhou Institute for Advanced Research, China), Chunming Qiao (University at Buffalo, The State University of New York, USA), and Yangming Zhao (University at Buffalo, The State University of New York, USA)
Clustering Activation Networks .780. Zijin Feng (The Chinese University of Hong Kong, Hong Kong), Miao Qiao (University of Auckland, New Zealand), and Hong Cheng (The Chinese University of Hong Kong, Hong Kong)
Learning Evolvable Time-Series Shapelets .793
Social Graph Restoration via Random Walk Sampling .806
On Inter-Operator Data Transfers in Query Processing 820. Harshad Deshmukh (University of Wisconsin - Madison), Bruhathi Sundarmurthy (University of Wisconsin - Madison), and Jignesh M. Patel (University of Wisconsin - Madison)
Guided Task Planning Under Complex Constraints .833. Sepideh Nikookar (New Jersey Institute of Technology, USA), Paras Sakharkar (New Jersey Institute of Technology, USA), Baljinder Smagh (New Jersey Institute of Technology, USA), Sihem Amer-Yahia (CNRS, University Grenoble Alpes, France), and Senjuti Basu Roy (New Jersey Institute of Technology)
Estimating Node Importance Values in Heterogeneous Information Networks .846
Querying Maximum Quasi-Independent Set by Pay-and-Recycle .859. Xiaochen Liu (Fudan University, China), Weiguo Zheng (Fudan University, China), Zhenyi Chen (Fudan University, China), Zhenying He (Fudan University, China), and X. Sean Wang (Fudan University, China)

Efficient Graph Isomorphism Query Processing using Degree Sequences and Color-Lab Distributions 872	el
Geonmo Gu (Seoul National University, South Korea), Yehyun Nam (Seoul National University, South Korea), Kunsoo Park (Seoul National University, South Korea), Zvi Galil (Georgia Institute of Technology, USA), Giuseppe F. Italiano (LUISS University, Italy), and Wook-Shin Han (Pohang University of Science and Technology (POSTECH), South Korea)	
A Resource-Aware Deep Cost Model for Big Data Query Processing .885	
Maximum Biplex Search over Bipartite Graphs .898. Wensheng Luo (Hunan University, China), Kenli Li (Hunan University, China), Xu Zhou (Hunan University, China), Yunjun Gao (Zhejiang University, China), and Keqin Li (State University of New York, USA)	
Efficient Participant Contribution Evaluation for Horizontal and Vertical Federated Learning 911	
Consistent Answers of Aggregation Queries via SAT .924	
Crowdsourced Fact Validation for Knowledge Bases .938. Libin Zheng (Sun Yat-sen University, China), Peng Cheng (East China Normal University, China), Lei Chen (The Hong Kong University of Science and Technology, China), Jianxing Yu (Sun Yat-sen University, China), Xuemin Lin (The University of New South Wales, Australia), and Jian Yin (Sun Yat-sen University, China)	
CORE-SG: Efficient Computation of Multiple MSTs for Density-Based Methods .951 Antonio Cavalcante Araujo Neto (University of Alberta, Canada), Murilo Coelho Naldi (Federal University of São Carlos, Brazil), Ricardo J. G. B. Campello (University of Newcastle, Australia), and Joerg Sander (University of Alberta, Canada)	
Federated Learning on Non-IID Data Silos: An Experimental Study .965	
Bamboo Filters: Make Resizing Smooth .979	

T-]	Detector: A Trajectory Based Pre-Trained Model for Game Bot Detection in MMORPGs .992 Sha Zhao (Zhejiang University, China), Junwei Fang (Zhejiang University, China), Shiwei Zhao (Fuxi AI Lab, NetEase Games, China), Runze Wu (Fuxi AI Lab, NetEase Games, China), Jianrong Tao (Fuxi AI Lab, NetEase Games, China), Shijian Li (Zhejiang University, China), and Gang Pan (Zhejiang University, China)
Cc	omputing Maximum Structural Balanced Cliques in Signed Graphs 1004. Kai Yao (The University of Sydney, Australia), Lijun Chang (The University of Sydney, Australia), and Lu Qin (University of Technology Sydney, Australia)
Bla	ack-box Adversarial Attack and Defense on Graph Neural Networks .1017
Hy	ybrid Subgraph Matching Framework Powered by Sketch Tree for Distributed Systems .1.031 Yuejia Zhang (Fudan University, China), Weiguo Zheng (Fudan University, China), Zhijie Zhang (Fudan University, China), Peng Peng (Hunan University, China), and Xuecang Zhang (Huawei Technologies, China)
Ma	aximizing Time-Aware Welfare for Mixed Items 1044. Xiaoye Miao (Zhejiang University, China), Huanhuan Peng (Zhejiang University, China), Kai Chen (University of Edinburgh, UK), Yuchen Peng (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)
Ur	nsupervised Matching of Data and Text .1058
im 10	Dedup: A Lossless Deduplication Scheme to Eliminate Fine-Grained Redundancy Among Images 71 Cai Deng (Harbin Institute of Technology, Shenzhen, China), Qi Chen (Harbin Institute of Technology, Shenzhen, China), Xiangyu Zou (Harbin Institute of Technology, Shenzhen, China), Erci Xu (National University of Defense Technology, China), Bo Tang (Southern University of Science and Technology, China), and Wen Xia (Harbin Institute of Technology, Shenzhen, China)
	sosting Entity Mention Detection for Targetted Twitter Streams with Global Contextual inbeddings .1085
Di	scovering Domain Orders via Order Dependencies .1098

Ghadeer Abuoda (College of Science and Engineering, HBKU, Qatar), Saravanan Thirumuruganathan (Qatar Computing Research Institute, HBKU, Qatar), and Ashraf Aboulnaga (Qatar Computing Research Institute, HBKU, Qatar)	
MANI-Rank: Multiple Attribute and Intersectional Group Fairness for Consensus Ranking .1.124 Kathleen Cachel (Worcester Polytechnic Institute, USA), Elke Rundensteiner (Worcester Polytechnic Institute, USA), and Lane Harrison (Worcester Polytechnic Institute, USA)	
Hierarchical Core Decomposition in Parallel: From Construction to Subgraph Search .1138 Deming Chu (University of New South Wales, Australia), Fan Zhang (Guangzhou University, China), Wenjie Zhang (University of New South Wales, Australia), Xuemin Lin (University of New South Wales, Australia), and Ying Zhang (University of Technology Sydney, Australia)	
Cost-Effective Algorithms for Average-Case Interactive Graph Search .1.152	
Reliable Community Search on Uncertain Graphs .1166	
Enhancing Recommendation with Automated Tag Taxonomy Construction in Hyperbolic Space . Yanchao Tan (Zhejiang University, China), Carl Yang (Emory University, United States), Xiangyu Wei (Zhejiang University, China), Chaochao Chen (Zhejiang University, China), Longfei Li (Ant Group, China), and Xiaolin Zheng (Zhejiang University, China)	1180
GridTuner: Reinvestigate Grid Size Selection for Spatiotemporal Prediction Models .1193	
Triple-Fact Retriever: An Explainable Reasoning Retrieval Model for Multi-hop QA Problem .120. Chengmin Wu (Hong Kong University of Science and Technology), Enrui Hu (Distributed and Parallel Software Lab), Ke Zhan (Distributed and Parallel Software Lab), Lan Luo (Distributed and Parallel Software Lab), Xinyu Zhang (Distributed and Parallel Software Lab), Hao Jiang (Distributed and Parallel Software Lab), Qirui Wang (Distributed and Parallel Software Lab), Zhao Cao (Distributed and Parallel Software Lab), Fan Yu (Distributed and Parallel Software Lab), and Lei Chen (Hong Kong University of Science and Technology)	5

Accelerating Entity Lookups in Knowledge Graphs Through Embeddings .1111.....

A Model-Agnostic Approach for Learning with Noisy Labels of Arbitrary Distributions .1219 Shuang Hao (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Peng Li (Georgia Institute of Technology, USA), Renzhi Wu (Georgia Institute of Technology, USA), and Xu Chu (Georgia Institute of Technology, USA)
MAD-SGCN: Multivariate Anomaly Detection with Self-Learning Graph Convolutional Networks 1232
Panpan Qi (National University of Singapore, Singapore), Dan Li (Sun Yat-Sen University, China), and See-Kiong Ng (National University of Singapore, Singapore)
BlockOPE: Efficient Order-Preserving Encryption for Permissioned Blockchain .1245
Contrastive Learning for Sequential Recommendation .1259
Towards Backdoor Attack on Deep Learning Based Time Series Classification .1274
DisenHCN: Disentangled Hypergraph Convolutional Networks for Spatiotemporal Activity Prediction .1288
Yinfeng Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Chen Gao (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Quanming Yao (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Tong Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), Depeng Jin (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China), and Yong Li (Beijing National Research Center for Information Science and Technology, Department of Electronic Engineering, Tsinghua University, China)
On Compressing Temporal Graphs 1301

S-QUERY: Opening the Black Box of Internal Stream Processor State .131 Jim Verheijde (Delft University of Technology), Vassilios Karakoidas (Delivery Hero SE), Marios Fragkoulis (Delft University of Technology), and Asterios Katsifodimos (Delft University of Technology)	14
Identification for Deep Neural Network: Simply Adjusting Few Weights Yingjie Lao (Clemson University, USA), Peng Yang (Baidu Research – Bellevue, USA), Weijie Zhao (Baidu Research – Bellevue, USA), and Ping Li (Baidu Research – Bellevue, USA)	·! .1328
Anomaly Detection in Time Series with Robust Variational Quasi-Recurrence Tung Kieu (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Razvan-Gabriel Cirstea (Aalborg University, Denmark), Yan Zhao (Aalborg University, Denmark), Yale Song (Microsoft Research, USA), and Christian S. Jensen (Aalborg University, Denmark)	,
HybridGNN: Learning Hybrid Representation for Recommendation in N	Multiplex Heterogeneous
Networks .1355. Tiankai Gu (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Cheng Wu (Tsinghua University, China), Yunkai Lou (Tsinghua University, China), Jingcao Xu (Tsinghua University, China), Changping Wang (Kuaishou Inc., China), Kai Xu (Kuaishou Inc., China), Can Ye (Kuaishou Inc., China), and Yang Song (Kuaishou Inc., China)	
Airphant: Cloud-Oriented Document Indexing .1368	
Salvaging Failing and Straggling Queries .1382. Bruhathi Sundarmurthy (University of Wisconsin - Madison), Harshad Deshmukh (University of Wisconsin - Madison), Paris Koutris (University of Wisconsin - Madison), and Jeffrey Naughton (University of Wisconsin - Madison)	
On Time-Optimal (k, p)-Core Community Search in Dynamic Graphs .13. Zhao Lu (Wuhan University, China), Yuanyuan Zhu (Wuhan University, China), Ming Zhong (Wuhan University, China), and Jeffrey Xu Yu (The Chinese University of Hong Kong, China)	396
Jarvis: Large-Scale Server Monitoring with Adaptive Near-Data Processi Atul Sandur (University of Illinois at Urbana-Champaign), ChanHo Park (UNIST), Stavros Volos (Microsoft Research), Gul Agha (University of Illinois at Urbana-Champaign), and Myeongjae Jeon (UNIST)	ing .1408
Fairness-Aware Range Queries for Selecting Unbiased Data .1423 Suraj Shetiya (University of Texas at Arlington), Ian P. Swift (University of Illinois at Chicago), Abolfazl Asudeh (University of Illinois at Chicago), and Gautam Das (University of Texas at Arlington)	

Inhomogeneous Social Recommendation with Hypergraph Convolutional Networks .1437 Zirui Zhu (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Chen Gao (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Xu Chen (Beijing Key Laboratory of Big Data Management and Analysis Methods, Renmin University of China, China), Nian Li (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), Depeng Jin (Beijing National Research Center for Information Science and Technology, Tsinghua University, China), and Yong Li (Beijing National Research Center for Information Science and Technology, Tsinghua University, China)
Memorize, Factorize, or be Naïve: Learning Optimal Feature Interaction Methods for CTR Prediction .1450
Croesus: Multi-Stage Processing and Transactions for Video-Analytics in Edge-Cloud Systems.1463 Samaa Gazzaz (University of California-Santa Cruz), Vishal Chakraborty (University of California-Irvine), and Faisal Nawab (University of California-Irvine)
When is Early Classification of Time Series Meaningful? (Extended Abstract) .1477
Current Time Series Anomaly Detection Benchmarks are Flawed and are Creating the Illusion of Progress (Extended Abstract) 1479
Who Should Deserve Investment? Attractive Individual and Group Search in Dynamic Information Networks (Extended Abstract) .1481
On Efficient Large Maximal Biplex Discovery (Extended Abstract) 1483
A Branch Elimination-Based Efficient Algorithm for Large-Scale Multiple Longest Common Subsequence Problem (Extended Abstract) .1485

Efficient and Oblivious Query Processing for Range and kNN Queries (Extended Abstract) .1487. Zhao Chang (Xidian University, China), Dong Xie (The Pennsylvania State University, USA), Feifei Li (Alibaba Group, China), Jeff M. Phillips (University of Utah, USA), and Rajeev Balasubramonian (University of Utah, USA)
MOSE: A Monotonic Selectivity Estimator using Learned CDF (Extended Abstract) .1489 Luming Sun (Renmin University of China, China), Cuiping Li (Renmin University of China, China), Tao Ji (Renmin University of China, China), and Hong Chen (Renmin University of China, China)
Multiset Membership Lookup in Large Datasets (Extended abstract) .1491
Maximum Signed θ-Clique Identification in Large Signed Graphs (Extended Abstract) .1493 Chen Chen (Zhejiang Gongshang University, China), Yanping Wu (Zhejiang Gongshang University, China), Renjie Sun (East China Normal University, China), and Xiaoyang Wang (Zhejiang Gongshang University, China)
Stable Community Detection in Signed Social Networks (Extended Abstract) .1495
Hierarchical Representation Learning for Attributed Networks .1497. Shu Zhao (Anhui University, China), Ziwei Du (Anhui University, China), Jie Chen (Anhui University, China), Yanping Zhang (Anhui University, China), Jie Tang (Tsinghua University, China), and Philip S. Yu (University of Illinois at Chicago, USA)
DRGI: Deep Relational Graph Infomax for Knowledge Graph Completion (Extended Abstract) .1499 Shuang Liang (University of Electronic Science and Technology of China, China), Jie Shao (University of Electronic Science and Technology of China, China; Shenzhen Institute for Advanced Study, UESTC, China), Dongyang Zhang (University of Electronic Science and Technology of China, China), Jiasheng Zhang (University of Electronic Science and Technology of China, China; Sichuan Artificial Intelligence Research Institute, China), and Bin Cui (Peking University, China)
Continuous Trajectory Similarity Search for Online Outlier Detection (Extended Abstract) .1501 Dongxiang Zhang (Zhejiang University, China), Zhihao Chang (Zhejiang University, China), Sai Wu (Zhejiang University, China), Ye Yuan (Beijing Institute of Technology, China), Kian-Lee Tan (National University of Singapore, Singapore), and Gang Chen (Zhejiang University, China)
SCPM-CR: A Novel Method for Spatial Co-Location Pattern Mining with Coupling Relation Consideration (Extended Abstract) .1503

Cost-Aware and Distance-Constrained Collective Spatial Keyword Query (Extended Abstract) .1505 Harry Kai-Ho Chan (Roskilde University, Denmark), Shengxin Liu (Harbin Institute of Technology (Shenzhen), China), Cheng Long (Nanyang Technological University, Singapore), and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, Hong Kong)	
Graph-Driven Federated Data Management (Extended Abstract) .1507	
Network Alignment with Holistic Embeddings (Extended Abstract) .1509	
ScaleG: A Distributed Disk-Based System for Vertex-Centric Graph Processing (Extended Abstract) 1511	
Community-Aware Social Recommendation: A Unified SCSVD Framework (Extended Abstract) .152 Jiewen Guan (Xiamen University, China; Xiamen Key Laboratory of Big Data Intelligent Analysis and Decision-making, China), Xin Huang (Hong Kong Baptist University, China), and Bilian Chen (Xiamen University, China; Xiamen Key Laboratory of Big Data Intelligent Analysis and Decision-making, China)	13
Core Decomposition on Uncertain Graphs Revisited (Extended Abstract) .1515	
Multi-dimensional Randomized Response .1517	
DeepCrowd: A Deep Model for Large-Scale Citywide Crowd Density and Flow Prediction (Extended Abstract) .1519	

TwiCS: Twitter Stream Entity Mention Detection (Extended Abstract) .1521
A Dual-Store Structure for Knowledge Graphs (Extended Abstract) 1523. Zhixin Qi (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), and Haoran Zhang (Harbin Institute of Technology, China)
Platform-Oriented Event Time Allocation(Extended Abstract) .1525
Fast Error-Bounded Distance Distribution Computation (Extended Abstract) .1527
Set-Aware Entity Synonym Discovery with Flexible Receptive Fields (Extended Abstract) .1529 Shichao Pei (King Abdullah University of Science and Technology, Saudi Arabia), Lu Yu (King Abdullah University of Science and Technology, Saudi Arabia), and Xiangliang Zhang (University of Notre Dame, USA; King Abdullah University of Science and Technology, Saudi Arabia)
Temporal Network Motifs: Models, Limitations, Evaluation (Extended Abstract) .1531
Uniting Heterogeneity, Inductiveness, and Efficiency for Graph Representation Learning (Extended Abstract) .1533. Tong Chen (The University of Queensland), Hongzhi Yin (The University of Queensland), Jie Ren (Michigan State University), Zi Huang (The University of Queensland), Xiangliang Zhang (University of Notre Dame), and Hao Wang (Alibaba Cloud, Alibaba Group)
Efficient EMD-Based Similarity Search via Batch Pruning and Incremental Computation (Extended Abstract) .1535
Building Graphs at Scale via Sequence of Edges: Model and Generation Algorithms (Extended Abstract) .1537

Finding Critical Users in Social Communities via Graph Convolutions (Extended Abstract) .1539 Kangfei Zhao (The Chinese University of Hong Kong; Tencent AI Lab), Zhiwei Zhang (Beijing Institute of Technology), Yu Rong (Tencent AI Lab), Jeffrey Xu Yu (The Chinese University of Hong Kong), and Junzhou Huang (University of Texas at Arlington)	
On the Fairness of Time-Critical Influence Maximization in Social Networks (Extended Abstract) .1541	
Fast Reachability Queries Answering Based on RCN Reduction (Extended Abstract) .1543 Junfeng Zhou (Donghua University, China), Jeffrey Xu Yu (Chinese University of Hong Kong, China), Yaxian Qiu (Donghua University, China), Xian Tang (Shanghai University of Engineering Science, China), Ziyang Chen (Shanghai Lixin University of Accounting and Finance, China), and Ming Du (Donghua University, China)	
GloDyNE: Global Topology Preserving Dynamic Network Embedding (Extended Abstract) .1545. Chengbin Hou (Southern University of Science and Technology, China; University of Birmingham, United Kingdom), Han Zhang (University of Birmingham, United Kingdom), Shan He (University of Birmingham, United Kingdom), and Ke Tang (Southern University of Science and Technology, China)	
Efficient Top-k Vulnerable Nodes Detection in Uncertain Graphs (Extended Abstract) .1547 Dawei Cheng (Tongji University, China), Chen Chen (Zhejiang Gongshang University, China), Xiaoyang Wang (Zhejiang Gongshang University, China), and Sheng Xiang (University of Technology Sydney, Australia)	
A Generalized Framework for Preserving Both Privacy and Utility in Data Outsourcing (Extended Abstract) 1549	
Privacy-Preserving Collaborative Filtering using Fully Homomorphic Encryption (Extended Abstract) .1551	
Event Popularity Prediction using Influential Hashtags from Social Media (Extended Abstract) .1553	

Dhaka a Ling (Mon Moha	ing Alternative Route Planning Techniques: A Comparative User Study on Melbourne, and Copenhagen Road Networks (Extended Abstract)* .1555
Ziton Wai- Long	d Querying (Extended Abstract) .1557
	Approximate Range Aggregation over Large-Scale Spatial Data Federation (Extended
Yexu Univ and T Singa	c) .1559
Architec Xupe Univ Univ Univ	: A Multi-Layer Graph Convolutional Network Framework via Node-Aware Deep Sture (Extended Abstract) 1561
Abstract Chia- Wen- (Nati Univ	nt Learning on PM_2.5 Prediction Based on Clustered Airbox Dataset (Extended 1563
	ersity, USA)
Abstract <i>Dimi</i>	cy Estimation in Data Streams: Learning the Optimal Hashing Scheme (Extended:) .1565tris Bertsimas (Massachusetts Institute of Technology) and lis Digalakis (Massachusetts Institute of Technology)
I-Chı	Modeling Context Co-Occurrence for Attributed Network Embedding .1567
(extende Fanu (Sing Univ Illino Illino City	and Incremental SimRank: Index-free Approximation with Scheduled Principle ed Abstract) .1569

Neighbor-Anchoring Adversarial Graph Neural Networks (Extended Abstract) .157.1
GQP: A Framework for Scalable and Effective Graph Query-Based Pricing .1573
Enhancing Federated Learning with Intelligent Model Migration in Heterogeneous Edge Computing .1586
Jianchun Liu (University of Science and Technology of China, China), Yang Xu (University of Science and Technology of China, China), Hongli Xu (University of Science and Technology of China, China), Yunming Liao (University of Science and Technology of China, China), Zhiyuan Wang (University of Science and Technology of China, China), and He Huang (Soochow University, China)
From Batch Processing to Real Time Analytics: Running Presto® at Scale .1598
Computation Reuse via Fusion in Amazon Athena .1610
Dynamic Hypergraph Convolutional Network 1621 Nan Yin (National University of Defense Technology), Fuli Feng (University of Science and Technology of China), Zhigang Luo (National University of Defense Technology), Xiang Zhang (National University of Defense Technology), Wenjie Wang (National University of Singapore), Xiao Luo (Peking University), Chong Chen (Peking University), and Xian-Sheng Hua (Independent Researcher)
Equi-Joins over Encrypted Data for Series of Queries .1635. Masoumeh Shafieinejad (University of Waterloo, Canada), Suraj Gupta (University of Waterloo, Canada), Jin Yang Liu (University of Waterloo, Canada), Koray Karabina (National Research Council & University of Waterloo, Canada), and Florian Kerschbaum (University of Waterloo, Canada)
Efficiently Transforming Tables for Joinability .1649. Arash Dargahi Nobari (University of Alberta) and Davood Rafiei (University of Alberta)

Near Data Processing in Taurus Database .1662 Shu Lin (Huawei Technologies Canada), Arunprasad P. Marathe (Huawei Technologies Canada), Per-Ake Larson (Huawei Technologies Canada), Chong Chen (Huawei Technologies Canada), Calvin Sun (Huawei Technologies Canada), Paul Lee (Huawei Technologies Canada), Weidong Yu (Huawei Technologies Canada), Jianwei Li (Huawei Technologies China), Juncai Meng (Huawei Technologies China), Roulin Lin (Huawei Technologies China), Xiaoyang Chen (Huawei Technologies China), and Qingping Zhu (Huawei Technologies China)
Regular Path Query Evaluation Sharing a Reduced Transitive Closure Based on Graph Reduction .1675
Bilateral Preference-Aware Task Assignment in Spatial Crowdsourcing .1687
TMN: Trajectory Matching Networks for Predicting Similarity .17.00
Deep Popularity Prediction in Multi-Source Cascade with HERI-GCN .1714. Zhen Wu (Soochow University, China), Jingya Zhou (Soochow University, China), Ling Liu (Georgia Institute of Technology, USA), Chaozhuo Li (Microsoft Research Asia, China), and Fei Gu (Soochow University, China)
Frequency-Based Randomization for Guaranteeing Differential Privacy in Spatial Trajectories .1727
Scape: Scalable Collaborative Analytics System on Private Database with Malicious Security.17.40. Feng Han (University of Science and Technology of China; Alibaba Group), Lan Zhang (University of Science and Technology of China), Hanwen Feng (Alibaba Group), Weiran Liu (Alibaba Group), and Xiangyang Li (University of Science and Technology of China)
HET-KG: Communication-Efficient Knowledge Graph Embedding Training via Hotness-Aware Cache 1754 Sicong Dong (Tianjin University), Xupeng Miao (Peking University), Pengkai Liu (Tianjin University), Xin Wang (Tianjin University), Bin Cui (Peking University), and Jianxin Li (Deakin University)

Subspace Embedding Based New Paper Recommendation .17.67 Yi Xie (Shandong University, China), Wen Li (Shandong University, China), Yuqing Sun (Shandong University, China), Elisa Bertino (Purdue University, the United States), and Bin Gong (Shandong University, China)
IPS: Instance Profile for Shapelet Discovery for Time Series Classification .1781
A Comparative Study of in-Database Inference Approaches .17.9.4
Ubiquitous Verification in Centralized Ledger Database .1808
OLxPBench: Real-Time, Semantically Consistent, and Domain-Specific are Essential in Benchmarking, Designing, and Implementing HTAP Systems .1822
Dynamic Approximate Maximum Independent Set on Massive Graphs .1835
Rank-Regret Minimization 1848 Xingxing Xiao (Harbin Institute of Technology, China; Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China) and Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China)
An Extended SSD-Based Cache for Efficient Object Store Access in SAP IQ .1861

Robust Attributed Network Embedding Preserving Community Information .187.4 Yunfei Liu (University of Electronic Science and Technology of China), Zhen Liu (University of Electronic Science and Technology of China), Xiaodong Feng (University of Electronic Science and Technology of China), and Zhongyi Li (University of Electronic Science and Technology of China)	
Maximal Balanced Signed Biclique Enumeration in Signed Bipartite Graphs .1887 Renjie Sun (East China Normal University, China), Yanping Wu (Zhejiang Gongshang University, China), Chen Chen (East China Normal University, China; Zhejiang Gongshang University, China), Xiaoyang Wang (Zhejiang Gongshang University, China), Wenjie Zhang (The University of New South Wales, Australia), and Xuemin Lin (The University of New South Wales, Australia)	
Maximal Directed Quasi-Clique Mining .1900	
EMP: Max-P Regionalization with Enriched Constraints .1914	
vChain+: Optimizing Verifiable Blockchain Boolean Range Queries .1927	
Finding Top-r Influential Communities Under Aggregation Functions .1941	
Efficient k-Clique Listing with Set Intersection Speedup 1955	
Distributed Set Label-Constrained Reachability Queries over Billion-Scale Graphs Yuanyuan Zeng (Hunan University, China), Wangdong Yang (Hunan University, China), Xu Zhou (Hunan University, China), Guoqing Xiao (Hunan University, China), Yunjun Gao (Zhejiang University, China), and Kenli Li (Hunan University, China)	1969

Sheng Xiang (AAII, University of Technology Sydney, Australia), Dawei Cheng (Tongji University, China), Jianfu Zhang (Shanghai Jiao Tong University, China), Zhenwei Ma (China Unionpay Co., Ltd., China), Xiaoyang Wang (Zhejiang Gong Shang University, China), and Ying Zhang (AAII, University of Technology Sydney, Australia)	
Adaptive Code Learning for Spark Configuration Tuning .1995. Chen Lin (Xiamen University, China), Junqing Zhuang (Xiamen University, China), Jiadong Feng (Xiamen University, China), Hui Li (Xiamen University, China), Xuanhe Zhou (Tsinghua University, China), and Guoliang Li (Tsinghua University, China)	
Collecting Triangle Counts with Edge Relationship Local Differential Privacy .2008	
iTemporal: An Extensible Generator of Temporal Benchmarks .2021 Luigi Bellomarini (Banca d'Italia, Italy), Markus Nissl (TU Wien, Austria), and Emanuel Sallinger (TU Wine, Austria)	
Self-Supervised Dual-Channel Attentive Network for Session-Based Social Recommendat Liuyin Wang (Tsinghua University, China), Xianghong Xu (Tsinghua University, China), Kai Ouyang (Tsinghua University, China), Huanzhong Duan (Weixin Group, China), Yanxiong Lu (Weixin Group, China), and Hai-Tao Zheng (Tsinghua University, China; Pengcheng Laboratory, China)	ion .2034
XTREE: Traversal-Based Partitioning for Extreme-Scale Graph Processing on Supercompu Xinbiao Gan (National University of Defense Technology), Yiming Zhang (National University of Defense Technology; Xiamen University), Ruigeng Zeng (National University of Defense Technology), Jie Liu (National University of Defense Technology), Ruibo Wang (National University of Defense Technology), Tiejun Li (National University of Defense Technology), Li Chen (Huawei), and Kai Lu (National University of Defense Technology)	ters .2046
Deep and Collective Entity Resolution in Parallel 2060. Ting Deng (SKLSDE, Beihang University), Wenfei Fan (SKLSDE, Beihang University; University of Edinburgh; Shenzhen Institute of Computing Sciences), Ping Lu (SKLSDE, Beihang University), Xiaomeng Luo (SKLSDE, Beihang University), Xiaoke Zhu (SKLSDE, Beihang University), and Wanhe An (SKLSDE, Beihang University)	
RW-Tree: A Learned Workload-Aware Framework for R-Tree Construction .2073	

En Wang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Yiheng Jiang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Yuanbo Xu (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China), Liang Wang (Northwestern Polytechnical University, China), and Yongjian Yang (Jilin University, China; Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, China)	
Self-Reconstructive Evidential Clustering for High-Dimensional Data 2099. Chaoyu Gong (Southeast University, China; National University of Singapore, Singapore), Yongbin Li (National University of Singapore, Singapore), Di Fu (National University of Singapore, Singapore), Yong Liu (National University of Singapore, Singapore), Pei-hong Wang (Southeast University, China), and Yang You (National University of Singapore, Singapore, Singapore)	
Joint Evidential K-Nearest Neighbor Classification 2113	
Semantics Driven Embedding Learning for Effective Entity Alignment .2127	
Influence-Aware Task Assignment in Spatial Crowdsourcing 2141	
Competitive Consistent Caching for Transactions .2154	
PSP: Progressive Space Pruning for Efficient Graph Neural Architecture Search .216 Guanghui Zhu (Nanjing University, China), Wenjie Wang (Nanjing University, China), Zhuoer Xu (Nanjing University, China), Feng Cheng (Nanjing University, China), Mengchuan Qiu (Nanjing University, China), Chunfeng Yuan (Nanjing University, China), and Yihua Huang (Nanjing University, China)	8

Fluid: Dataset Abstraction and Elastic Acceleration for Cloud-Native Deep Learning Training Jobs 2182. Rong Gu (State Key Laboratory for Novel Software Technology, Nanjing University, China), Kai Zhang (Alibaba Group, China), Zhihao Xu (State Key Laboratory for Novel Software Technology, Nanjing University, China), Yang Che (Alibaba Group, China), Bin Fan (Alluxio, Inc., USA), Haojun Hou (State Key Laboratory for Novel Software Technology, Nanjing University, China), Haipeng Dai (State Key Laboratory for Novel Software Technology, Nanjing University, China), Li Yi (Alibaba Group, China), Yu Ding (Alibaba Group, China), Guihai Chen (State Key Laboratory for Novel Software Technology, Nanjing University, China), and Yihua Huang (State Key Laboratory for Novel Software Technology, Nanjing University, China) AutoIndex: An Incremental Index Management System for Dynamic Workloads .2196..... Xuanhe Zhou (Tsinghua University, China), Luyang Liu (Huawei Company, China), Wenbo Li (Tsinghua University, China), Lianyuan Jin (Tsinghua University, China), Shifu Li (Huawei Company, China), Tianging Wang (Huawei Company, China), and Jianhua Feng (Tsinghua University, China) Cross-Domain Recommendation to Cold-Start Users via Variational Information Bottleneck .2209 Jiangxia Cao (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Jiawei Sheng (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xin Cong (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Tingwen Liu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Bin Wang (Xiaomi AI Lab, China) ZOOMER: Boosting Retrieval on Web-Scale Graphs by Regions of Interest .2224..... Yuezihan Jiang (Peking University; Alibaba Group), Yu Cheng (Peking University; Alibaba Group), Hanyu Zhao (Peking University; Alibaba Group), Wentao Zhang (Peking University), Xupeng Miao (Peking University), Yu He (Peking University), Liang Wang (Alibaba Group), Zhi Yang (Peking University; Peking University & National Engineering Laboratory for Big Data Analysis and Applications), and Bin Cui (Peking University; Peking University & National Engineering Laboratory for Big Data Analysis and Applications) Distributed Task-Based Training of Tree Models 2237. Da Yan (The University of Alabama at Birmingham), Mashiur Rahman Chowdhury (The University of Alabama at Birmingham), Guimu Guo (The University of Alabama at Birmingham), Jalal Kahlil (The University of Alabama at Birmingham), Zhe Jiang (University of Florida), and Sushil *Prasad (The University of Texas at San Antonio)* DB-LSH: Locality-Sensitive Hashing with Query-Based Dynamic Bucketing .2250..... Yao Tian (The Hong Kong University of Science and Technology, China), Xi Zhao (The Hong Kong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)

Clock-G: A Temporal Graph Management System with Space-Efficient Storage Technique .2263 Maria Massri (Orange Labs, France), Zoltan Miklos (University of Rennes CNRS IRISA, France), Philippe Raipin (Orange Labs, France), and Pierre Meye (Orange Labs, France)
Provenance in Temporal Interaction Networks .2277
Discovering Hierarchy of Bipartite Graphs with Cohesive Subgraphs .2291
TraSS: Efficient Trajectory Similarity Search Based on Key-Value Data Stores .2306. Huajun He (Southwest Jiaotong University, China; JD iCity, JD Technology, China; 3JD Intelligent Cities Research, China), Ruiyuan Li (Chongqing University, China), Sijie Ruan (Xidian University, China; Nanyang Technological University, Singapore), Tianfu He (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Tianrui Li (Southwest Jiaotong University, China), and Yu Zheng (Southwest Jiaotong University, China; JD iCity, JD Technology, China; 3JD Intelligent Cities Research, China)
Personalized Graph Summarization: Formulation, Scalable Algorithms, and Applications .2319 Shinhwan Kang (Kim Jaechul Graduate School of AI, KAIST, South Korea), Kyuhan Lee (Kim Jaechul Graduate School of AI, KAIST, South Korea), and Kijung Shin (Kim Jaechul Graduate School of AI, KAIST, South Korea; School of Electrical Engineering, KAIST, South Korea)
Efficient Computation of Cohesive Subgraphs in Uncertain Bipartite Graphs .2333
On Maximising the Vertex Coverage for Top-k t-Bicliques in Bipartite Graphs .2346
Synthesizing Privacy Preserving Entity Resolution Datasets .2359

Workload-Aware Shortest Path Distance Querying in Road Networks .2372
BETZE: Benchmarking Data Exploration Tools with (Almost) Zero Effort .2385
Evolutionary Clustering of Moving Objects 2399. Tianyi Li (Aalborg University, Denmark), Lu Chen (Zhejiang University, China), Christian S. Jensen (Aalborg University, Denmark), Torben Bach Pedersen (Aalborg University, Denmark), Yunjun Gao (Zhejiang University, China), and Jilin Hu (Aalborg University, Denmark)
Temporal Regular Path Queries 2412
A Machine Learning-Aware Data Re-Partitioning Framework for Spatial Datasets .2426
Improving Fairness for Data Valuation in Horizontal Federated Learning .2440. Zhenan Fan (University of British Columbia), Huang Fang (University of British Columbia), Zirui Zhou (Huawei Technologies Canada Co.), Jian Pei (Simon Fraser University), Michael P. Friedlander (University of British Columbia), Changxin Liu (KTH Royal Institute of Technology), and Yong Zhang (Huawei Technologies Canada Co.)
DPar2: Fast and Scalable PARAFAC2 Decomposition for Irregular Dense Tensors .245.4
Apache ShardingSphere: A Holistic and Pluggable Platform for Data Sharding .2468
Conditional Regression Rules 2481

Improving Prediction-Based Lossy Compression Dramatically via Ratio-Quality Modeling .249.4 Sian Jin (Washington State University, USA), Sheng Di (Argonne National Laboratory, USA), Jiannan Tian (Washington State University, USA), Suren Byna (Lawrence Berkeley National Laboratory, USA), Dingwen Tao (Washington State University, USA), and Franck Cappello (Argonne National Laboratory, USA)	:
LAN: Learning-Based Approximate k-Nearest Neighbor Search in Graph Databases .2508 Yun Peng (Hong Kong Baptist University), Byron Choi (Hong Kong Baptist University), Tsz Nam Chan (Hong Kong Baptist University), and Jianliang Xu (Hong Kong Baptist University)	
Exploiting Hierarchical Parallelism and Reusability in Tensor Kernel Processing on Heterogeneous HPC Systems 2522	•
Consistent Subgraph Matching over Large Graphs 2536. Ye Yuan (Beijing Institute of Technology), Delong Ma (Northeastern University, China), Aoqian Zhang (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)	•
PinSQL: Pinpoint Root Cause SQLs to Resolve Performance Issues in Cloud Databases .2549 Xiaoze Liu (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Zheng Yin (Alibaba Group, China), Chao Zhao (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Congcong Ge (Zhejiang University, China; Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Lu Chen (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), Dimeng Li (Alibaba Group, China), Ziting Wang (Alibaba Group, China), Gaozhong Liang (Alibaba Group, China), Jian Tan (Alibaba Group, China), and Feifei Li (Alibaba Group, China)	•
Dynamic Model Tree for Interpretable Data Stream Learning .2562	••
FedADMM: A Robust Federated Deep Learning Framework with Adaptivity to System Heterogeneity 2575 Yonghai Gong (University of Science and Technology of China, China), Yichuan Li (University of Illinois at Urbana-Champaign, USA), and Nikolaos M. Freris (University of Science and Technology of China, China)	••

Sen Gao (Beijing In Institute of Techno Technology, China	Decomposition 2588
Wangze Ni (The H Peng Cheng (East	with Arbitrary Values on Blockchains 2602ong Kong University of Science and Technology, China), China Normal University, China), and Lei Chen (The esity of Science and Technology, China)
Xiaonan Nie (Peki	GPU Memory Management for Efficient DNN Training via Tensor Splitting 2615 ag University), Xupeng Miao (Peking University), Zhi persity), and Bin Cui (Peking University; Peking 10), China)
Ruben Mayer (Tec	rtitioning at Linear Run-Time 2629hnical University of Munich), Kamil Orujzade ity of Munich), and Hans-Arno Jacobsen (University
Dazhong Rong (Zh Institute, Zhejiang Institute, Zhejiang University, China)	l Poisoning Attack to Federated Recommendation 2643. lejiang University, China), Shuai Ye (Polytechnic University, China), Ruoyan Zhao (Polytechnic University, China), Hon Ning Yuen (Zhejiang , Jianhai Chen (Zhejiang University, China), and liang University, China)
Zhongqiang Gao (((Ocean University China, China), Lei	ing for Large-Scale Temporal Graphs 2656
	ed Spatial Database Engine for Commodity Hardware .2669 y (Microsoft Research India) and Juliana Freire (New
Kai Zou (Universit (University of Scie	are for Plugging Accelerators to Distributed Graph Processing .2682y of Science and Technology of China), Xike Xie nce and Technology of China), Qi Li (University of llogy of China), and Deyu Kong (University of Science China)
Oren Kalinsky (An & IMFD, Chile), C Technology, Israel)	ledge Graphs via Online Aggregation 2695

Effective Explanations for Entity Resolution Models .27.09
Factor Windows: Cost-Based Query Rewriting for Optimizing Correlated Window Aggregates .2722 Wentao Wu (Microsoft Corporation), Philip A. Bernstein (Microsoft Corporation), Alex Raizman (Microsoft Corporation), and Christina Pavlopoulou (University of California)
SPES: A Symbolic Approach to Proving Query Equivalence Under Bag Semantics .27.35
Manipulating Structural Graph Clustering 27.49. Wentao Li (AAII, FEIT, University of Technology Sydney), Min Gao (Chongqing University), Dong Wen (The University of New South Wales), Hongwei Zhou (Chongqing University), Cai Ke (Chongqing University), and Lu Qin (AAII, FEIT, University of Technology Sydney)
RobustScaler: QoS-Aware Autoscaling for Complex Workloads .27.62
Ranked Window Query Retrieval over Video Repositories 27.76
Horae: A Graph Stream Summarization Structure for Efficient Temporal Range Query .2792 Ming Chen (Huazhong University of Science and Technology, China), Renxiang Zhou (Huazhong University of Science and Technology, China), Hanhua Chen (Huazhong University of Science and Technology, China), Jiang Xiao (Huazhong University of Science and Technology, China), Hai Jin (Huazhong University of Science and Technology, China), and Bo Li (Hong Kong University of Science and Technology, China)
Local Clustering over Labeled Graphs: An Index-Free Approach .2805
Adaptive Partitioning for Large-Scale Graph Analytics in Geo-Distributed Data Centers .2818 Amelie Chi Zhou (Shenzhen University), Juanyun Luo (Shenzhen University), Ruibo Qiu (Shenzhen University), Haobin Tan (Shenzhen University), Bingsheng He (National University of Singapore), and Rui Mao (Shenzhen University)

Index-Based Structural Clustering on Directed Graphs 2831 Lingkai Meng (Guangzhou University, China), Long Yuan (Nanjing University of Science and Technology, China), Zi Chen (East China Normal University, China), Xuemin Lin (University of New South Walse, Australia), and Shiyu Yang (Guangzhou University, China)
Epidemic Spread Optimization for Disease Containment with NPIs and Vaccination .2845
PolarDB-X: An Elastic Distributed Relational Database for Cloud-Native Applications .2859 Wei Cao (Alibaba Group), Feifei Li (Alibaba Group), Gui Huang (Alibaba Group), Jianghang Lou (Alibaba Group), Jianwei Zhao (Alibaba Group), Dengcheng He (Alibaba Group), Mengshi Sun (Alibaba Group), Yingqiang Zhang (Alibaba Group), Sheng Wang (Alibaba Group), Xueqiang Wu (Alibaba Group), Han Liao (Alibaba Group), Zilin Chen (Alibaba Group), Xiaojian Fang (Alibaba Group), Mo Chen (Alibaba Group), Chenghui Liang (Alibaba Group), Yanxin Luo (Alibaba Group), Huanming Wang (Alibaba Group), Songlei Wang (Alibaba Group), Zhanfeng Ma (Alibaba Group), Xinjun Yang (Alibaba Group), Xiang Peng (Alibaba Group), Yubin Ruan (Alibaba Group), Yuhui Wang (Alibaba Group), Jie Zhou (Alibaba Group), Jianying Wang (Alibaba Group), Qingda Hu (Alibaba Group), and Junbin Kang (Alibaba Group)
Weakly-Supervised Temporal Path Representation Learning with Contrastive Curriculum Learning 2873
Micro-Behavior Encoding for Session-based Recommendation .2886. Jiahao Yuan (East China Normal University, China), Wendi Ji (East China Normal University, China), Dell Zhang (Birkbeck, University of London, UK; ByteDance AI Lab, London, UK), Jinwei Pan (East China Normal University, China), and Xiaoling Wang (East China Normal University, China)
Towards Spatio-Temporal Aware Traffic Time Series Forecasting .2900. Razvan-Gabriel Cirstea (Aalborg University, Denmark), Bin Yang (Aalborg University, Denmark), Chenjuan Guo (Aalborg University, Denmark), Tung Kieu (Aalborg University, Denmark), and Shirui Pan (Monash University, Australia)
Aggregate Queries on Knowledge Graphs: Fast Approximation with Semantic-aware Sampling .2914 Yuxiang Wang (Hangzhou Dianzi University), Arijit Khan (Nanyang Technological University, Singapore), Xiaoliang Xu (Hangzhou Dianzi University), Jiahui Jin (Southeast University), Qifan Hong (Hangzhou Dianzi University), and Tao Fu (Hangzhou Dianzi University)

Tung Kieu (Denmark), (Jensen (Aalb Denmark), I	Dainable Autoencoders for Unsupervised Time Series Outlier Detection .3038 Aalborg University, Denmark), Bin Yang (Aalborg University, Thenjuan Guo (Aalborg University, Denmark), Christian S. Torg University, Denmark), Yan Zhao (Aalborg University, Teiteng Huang (Huawei Cloud Database Innovation Lab, China), Torg (University of Electronic Science and Technology of
Saravanan T	rvals for Learned Cardinality Estimation: An Experimental Evaluation .305.1 hirumuruganathan (QCRI, HBKU), Suraj Shetiya (UT Nick Koudas (University of Toronto), and Gautam Das (UT
Oscar Moll Madden (M	cient Searches on Video Repositories Through Adaptive Sampling .3065
	ient Column Store for Cloud Data Lakes .3078
Diego Arroy Hogan (Uni	ce-Efficient Regular Path Queries .309.1
Hanchao Ma Reserve Uni Yen-shuo Cl	ry Generation with Fairness and Diversity Constraints 3106
Xiaoliang W Peiquan Jin Bei Hua (Ur Long (Huaw	e Amplification of LSM-Tree with Block-Grained Compaction .3119
Learning Grap (Extended Abs Lu Bai (Beij Finance and Finance and Finance and London, UK China), Phil	n Convolutional Networks Based on Quantum Vertex Information Propagation

Demo Track

CheetahKG: A Demonstration for Core-Based Top-k Frequent Pattern Discovery on Knowledge Graphs 3134
How Learning Can Help Complex Cyclic Join Decomposition 3138
VC-Tune: Tuning and Exploring Distributed Vertex-Centric Graph Systems .3142
A Demonstration of RASED: A Scalable Dashboard for Monitoring Road Network Updates in OSM 3146
Mashaal Musleh (University of Minnesota, USA) and Mohamed F. Mokbel (University of Minnesota, USA)
VICS-GNN: A Visual Interactive System for Community Search via Graph Neural Network .3150 Jiazun Chen (Peking University, China) and Jun Gao (Peking University, China)
SAMBA: A System for Secure Federated Multi-Armed Bandits 3154. Gael Marcadet (Univ. Clermont Auvergne, CNRS LIMOS), Radu Ciucanu (Univ. Grenoble Alpes, CNRS LIG), Pascal Lafourcade (Univ. Clermont Auvergne, CNRS LIMOS), Marta Soare (Univ. Grenoble Alpes, CNRS LIG), and Sihem Amer-Yahia (CNRS LIG, Univ. Grenoble Alpes)
A Knowledge Base Question Answering System for Cyber Threat Knowledge Acquisition .3158 Zhengjie Ji (KTH Royal Institute of Technology), Edward Choi (University of California, Berkeley), and Peng Gao (Virginia Tech)
abcOD: Mining Band Order Dependencies .3162
SEFrame: An SGX-Enhanced Smart Contract Execution Framework for Permissioned Blockchain 3160 Min Fang (East China Normal University), Xinna Zhou (East China Normal University), Zhao Zhang (East China Normal University), Cheqing Jin (East China Normal University), and Aoying Zhou (East China Normal University)

neoDBMS: In-Situ Snapshots for Multi-Version DBMS on Native Computational Storage .3170 Arthur Bernhardt (Reutlingen University), Sajjad Tamimi (Technische Universität Darmstadt), Tobias Vinçon (Reutlingen University), Christian Knödler (Reutlingen University), Florian Stock (Technische Universität Darmstadt), Carsten Heinz (Technische Universität Darmstadt), Andreas Koch (Technische Universität Darmstadt), and Ilia Petrov (Reutlingen University)
exRumourLens: Auditable Rumour Detection with Multi-View Explanations .3174
How, Where, and Why Data Provenance Improves Query Debugging .3178
IKAROS: An Indoor Keyword-Aware Routing System .3182 Tiantian Liu (Aalborg University, Denmark), Zijin Feng (The Chinese University of Hong Kong, Hong Kong), Huan Li (Aalborg University, Denmark), Hua Lu (Roskilde University, Denmark), Lidan Shou (Zhejiang University, China), and Jianliang Xu (Hong Kong Baptist University, Hong Kong)
Farming Your ML-Based Query Optimizer's Food 3186
Efficient GPU-Accelerated Join Optimization for Complex Queries .3190 Vasilis Mageirakos (University of Patras), Riccardo Mancini (Superiore Sant'Anna), Srinivas Karthik (EPFL), Bikash Chandra (EPFL), and Anastasia Ailamaki (EPFL; RAW Labs SA)
Tutorial Track
Automatic Performance Tuning for Distributed Data Stream Processing Systems .3.194
Machine Learning for Data Management: A System View 3198
Time Series Anomaly Detection Toolkit for Data Scientist .3202 Dhaval Patel (IBM Thomas J. Watson Research Center), Dzung Phan (IBM Thomas J. Watson Research Center), and Markus Mueller (IBM Thomas J. Watson Research Center)

Toward Responsive DBMS: Optimal Join Algorithms, Enumeration, Factorization, Ranking, and Dynamic Programming 3205
Explainable AI: Foundations, Applications, Opportunities for Data Management Research .3209 Romila Pradhan (Purdue University, USA), Aditya Lahiri (University of California San Diego, USA), Sainyam Galhotra (University of Chicago, USA), and Babak Salimi (University of California San Diego, USA)
Database Optimizers in the Era of Learning .3213. Dimitris Tsesmelis (Athena Research Center, Greece) and Alkis Simitsis (Athena Research Center, Greece)
Analytics at Scale: Evolution at Infrastructure and Algorithmic Levels .3217. Mohammed Al-Kateb (Teradata Labs, USA), Mohamed Eltabakh (Worcester Polytechnic Institute, USA), Awny Al-Omari (Incorta, USA), and Paul Brown (Teradata Labs, USA)
PhD Symposium How Much Storage Do We Need for High Performance Server .3221
Jia Wei (Xi'an Jiaotong University, China) Constructing a Skeleton Database and Enriching it using a Generative Adversarial Network (GAN) Simulator to Assess Human Movement .3226 Yoram Segal (Ben-Gurion University of the Negev, Israel) and Ofer Hadar (Ben-Gurion University of the Negev, Israel)
Novel Methods for Aggregating Analyst Estimates .3230. Kheng Kua (University of New South Wales, Australia)
A Journey from Commit Processing in Distributed Databases to Consensus in Blockchain .3236 Kamal Kant (M. M. M. University of Technology, India), Sarvesh Pandey (MMV, BHU, India), and Udai Shanker (M. M. M. U. T., India)
Industry Track
Discovering Actual Delivery Locations from Mis-Annotated Couriers' Trajectories .3241

Discovering Actual Delivery Locations from Mis-Annotated Couriers' Trajectories .3241....
Sijie Ruan (Xidian University, China; JD iCity, JD Technology, China;
JD Intelligent Cities Research, China; Nanyang Technological
University, Singapore), Cheng Long (Nanyang Technological University,
Singapore), Xiaodu Yang (Institute of Information Engineering, Chinese
Academy of Sciences), Tianfu He (JD iCity, JD Technology, China; JD
Intelligent Cities Research, China), Ruiyuan Li (Chongqing University,
China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities
Research, China), Yiheng Chen (JD Logistics, China), Shengnan Wu (JD
Logistics, China), Jiangtao Cui (Xidian University, China), and Yu
Zheng (Xidian University, China; JD iCity, JD Technology, China; JD
Intelligent Cities Research, China)

Intent Mining: A Social and Semantic Enhanced Topic Model for Operation-Friendly Digital Marketing 3254 Weifan Wang (Ant Group, China), Xiaocheng Cheng (Ant Group, China), Ziqi Liu (Ant Group, China), Yu Lin (Ant Group, China), Yue Shen (Ant Group, China), Binbin Hu (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Xiaodong Zeng (Ant Group, China), Jun Zhou (Ant Group, China), Jinjie Gu (Ant Group, China), and Minnan Luo (Xi'an Jiaotong University, China)
Tower Bridge Net (TB-Net): Bidirectional Knowledge Graph Aware Embedding Propagation for Explainable Recommender Systems 3268
Learning What You Need from What You Did: Product Taxonomy Expansion with User Behaviors Supervision 3280
Detecting Loaded Trajectories for Hazardous Chemicals Transportation .329.4. Shuncheng Liu (University of Electronic Science and Technology of China, China), Zhi Xu (University of Electronic Science and Technology of China, China), Huimin Ren (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Tianfu He (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Boyang Han (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Jie Bao (JD iCity, JD Technology, China; JD Intelligent Cities Research, China), Kai Zheng (University of Electronic Science and Technology of China, China), and Yu Zheng (JD iCity, JD Technology, China; JD Intelligent Cities Research, China)
Multi-task Learning with Calibrated Mixture of Insightful Experts .3307. Sinan Wang (Alibaba Group, China), Yumeng Li (Alibaba Group, China), Hongyan Li (Alibaba Group, China), Tanchao Zhu (Alibaba Group, China), Zhao Li (Alibaba Group, China), and Wenwu Ou (Alibaba Group, China)
Gaia: Graph Neural Network with Temporal Shift Aware Attention for Gross Merchandise Value Forecast in E-Commerce .3320
Adaptive Task Planning for Large-Scale Robotized Warehouses .3327. Dingyuan Shi (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (Singapore Management University), Ke Xu (Beihang University, China), Wenzhe Tan (Geekplus), and Hongbo Li (Geekplus)

Separation or Not: On Handing Out-of-Order Time-Series Data in Leveled LSM-Tree .3340 Yuyuan Kang (Tsinghua University, China), Xiangdong Huang (Tsinghua University, China), Shaoxu Song (Tsinghua University, China), Lingzhe Zhang (Tsinghua University, China), Jialin Qiao (Tsinghua University, China), Chen Wang (Tsinghua University, China), Jianmin Wang (Tsinghua University, China), and Julian Feinauer (Tsinghua University, China)	•••
APOTS: A Model for Adversarial Prediction of Traffic Speed .3353	
Feature Augmentation with Reinforcement Learning .3360. Jiabin Liu (Tsinghua University), Chengliang Chai (Tsinghua University), Yuyu Luo (Tsinghua University), Yin Lou (Ant Group), Jianhua Feng (Tsinghua University), and Nan Tang (QCRI)	
Rule Learning over Knowledge Graphs with Genetic Logic Programming .3373	•••
AiRS: A Large-Scale Recommender System at NAVER News .3386	
Cheaper Is Better: Exploring Price Competitiveness for Online Purchase Prediction 3399 Han Wu (Alibaba Group, China), Hongzhe Zhang (University of Delaware, USA), Liangyue Li (Alibaba Group, China), Zulong Chen (Alibaba Group, China), Fanwei Zhu (Zhejiang University City College, China), and Xiao Fang (University of Delaware, USA)	•••
Field-Aware Variational Autoencoders for Billion-Scale User Representation Learning .3413 Ge Fan (Tencent Inc., China), Chaoyun Zhang (Tencent Inc., China), Junyang Chen (Shenzhen University, China), Baopu Li (Baidu USA, USA), Zenglin Xu (Harbin Institute of Technology (Shenzhen), China), Yingjie Li (Tencent Inc., China), Luyu Peng (Tencent Inc., China), and Zhiguo Gong (University of Macau, China)	

Tell Me How to Survey: Literature Review Made Simple with Automatic Reading Path Generation 3426.
Jiayuan Ding (Michigan State University), Tong Xiang (Virginia Tech), Zijing Ou (Sun Yat-sen University), Wangyang Zuo (Zhejiang University of Technology), Ruihui Zhao (Tencent Jarvis Lab), Chenhua Lin (University of Sheffield), Yefeng Zheng (Tencent Jarvis Lab), and Bang Liu (Université de Montréal & Mila)
AMCAD: Adaptive Mixed-Curvature Representation Based Advertisement Retrieval System .3:439 Zhirong Xu (Alibaba Group, China), Shiyang Wen (Alibaba Group, China), Junshan Wang (Alibaba Group, China), Guojun Liu (Alibaba Group, China), Liang Wang (Alibaba Group, China), Zhi Yang (Peking University, China), Lei Ding (Alibaba Group, China), Yan Zhang (Alibaba Group, China), Di Zhang (Alibaba Group, China), Jian Xu (Alibaba Group, China), and Bo Zheng (Alibaba Group, China)
PICASSO: Unleashing the Potential of GPU-Centric Training for Wide-and-Deep Recommender Systems .3453
Knowledge Enhanced Person-Job Fit for Talent Recruitment 3467
ODNET: A Novel Personalized Origin-Destination Ranking Network for Flight Recommendation 3481 Jia Xu (Guangxi University, China), Jin Huang (Alibaba Group, China), Zulong Chen (Alibaba Group, China), Yang Li (Alibaba Group, China), Wanjie Tao (Alibaba Group, China), and Chuanfei Xu (Concordia University, Canada)
Author Index 3495